

(Translation) Report No.: 079038-a

Date of receipt: 17/12/2018
Start date: 17/12/2018
Date of completion: 14/01/2019
Issue date: 16/01/2019
Date of translation: 16/01/2019

Page 1 of 2

Cliente: **EREDU, S.COOP. (ENEA)**
Contacto: **AITOR OLANO**
Dirección: **OLA AUZOA, 4**
20250 LEGORRETA (GIPUZKOA) SPAIN

Reference: **3243**

Characteristics: **Chair with curved oak sheet upholstered shell and a 4-pronged steel base**

Standard: **UNE-EN 16139:2013/Corrected version 2015 (L2 level, extreme use)**



Test	Standard/Section	Test parameters	RESULT
General safety requirements	UNE-EN 16139:2013/Corrected version 2015 sec.4	---	SATISFACTORY
Front overturn	UNE-EN 1022:2005 sec.6.2	Vertical force (N): 600 Horizontal force (N): 20	SATISFACTORY
Backward overturn	UNE-EN 1022:2005 sec.6.6	Vertical force (N): 600 Horizontal force (N): 160	SATISFACTORY
Side overturn	UNE-EN 1022:2005 sec.6.4	Vertical force (N): 600 Horizontal force (N): 20	SATISFACTORY
Static load on the seat and backrest	UNE-EN 1728:2013 sec.6.4	Load on seat (N): 2000 Load on back (N): 700 No. of cycles: 10	SATISFACTORY
Static load on the front of the seat	UNE-EN 1728:2013 sec.6.5	Load applied (N): 1600 No. of cycles: 10	SATISFACTORY
Vertical static load on the backrest	UNE-EN 1728:2013 sec.6.6	Force applied (N): 900 Load on seat (N): 1800 No. of cycles: 10	SATISFACTORY
Durability of the seat and the backrest	UNE-EN 1728:2013 sec.6.17	Load on seat (N): 1000 Load on back (N): 300 No. of cycles: 200.000	SATISFACTORY
Durability of the front edge of the seat	UNE-EN 1728:2013 sec.6.18	Load on seat (N): 800 No. of cycles: 100.000	SATISFACTORY

Test	Standard/Section	Test parameters	RESULT
Seat impact test	UNE-EN 1728:2013 sec.6.24	Drop height (mm): 300 No. of cycles: 10	SATISFACTORY
Backwards drop test, Annex A.2	UNE-EN 1728:2013 sec. 6.28	No. of cycles: 5	SATISFACTORY